

magnets for

POP!

applications

THE MAGNET
SOURCE™

Magnetic Sheeting



Flexible Magnetic Sheeting Applications:

Point of Purchase Displays, Sales Promotions, Visual Aids, Vehicle Signage, Graphics, Photo Mounting, Advertising Specialties, and Display Boards.

ZIP-GRIP™ Sheeting Characteristics:

- Powerful - is super saturated with magnetism so its magnetic strength is evenly distributed across the surface.
- Permanent magnetism is guaranteed.
- Durable - ZIP-GRIP™ is easy to maintain and safe for finished surfaces.
- Machinable - ZIP-GRIP™ is easily drilled or cut with scissors, knife, die or punch to fit your application.

Laminations:

Vinyl Choices:

- Gloss White
- High Gloss White
- UV Ink Gloss White
- Colors: Red, Orange, Yellow, Green, Blue, Black, Gold, Brown, Ivory, Chrome, and Silver

Adhesive Choices:

- Rubber-based indoor and outdoor adhesive
- Acrylic-based adhesive

High Gloss White Paper

Uncoated Plain

Custom Laminations:


- Wide range of laminations available, call for details

Vinyl Features: High-quality topcoat allows superior adhesion of most screen print inks and lettering enamels.

Custom Cutting Available: Our precision equipment will cut any roll of flexible sheeting to the size that your applications require.

For a wider range of selections please call:

1.888.293.3534



Thickness Pull Per Sq.Ft.

.015"	45 lbs.
.020"	54 lbs.
.030"	82 lbs.

Part No.	Size	Description
ZG1524A50	.015" x 24 3/8" x 50'	with rubber indoor adhesive
ZG1524P50	.015" x 24 3/8" x 50'	plain/uncoated
ZG1524GW50	.015" x 24 3/8" x 50'	gloss white vinyl
ZG2024P50	.020" x 24 3/8" x 50'	plain/uncoated
ZG2024A50	.020" x 24 3/8" x 50'	with rubber indoor adhesive
ZG2024GW50	.020" x 24 3/8" x 50'	gloss white vinyl
ZG3024GW50	.030" x 24 3/8" x 50'	gloss white vinyl



Flexible Magnetic Strip



Flexible Magnetic Strip Applications:

Point Of Purchase Displays, Prototyping, Signs, Shelf and Bin Labeling, Manufactured Products, Trade Show Displays, and Kits.

Laminations: A variety of high quality laminations are available:

Adhesive Choices: (all provided with peel-off liner)

- Rubber-Based indoor adhesive
- Rubber-Based outdoor adhesive
- Foam Adhesive (adheres to uneven or porous surfaces)
- Acrylic-Based adhesive

Uncoated:

- No vinyl, no adhesive

Custom Laminations Available:

- Vinyl on weak side, (standard white, other colors available) plain on magnet side
- Vinyl on magnet side, adhesive on weak side

Magnet-to-Magnet Applications (Side A and Side B):

(Note: Not interchangeable with existing systems.)

Part No.	Description
ZG10A/SA	smooth on magnetic side
ZG10A/SB	groove on magnetic side
Dimensions: .060" x 1/2" x 100' w/ acrylic adhesive	

Custom Processing Capabilities: We can cut rolls to length providing bulk pieces or leave in roll form (call for pricing.)

Thickness: Standard thickness is .060", other thicknesses available, call for details.

For a wider range of selections please call: 1.888.293.3534



Part No.	Size	Description
ZG10A-A	.060" x .5" x 100'	with acrylic adhesive
ZG10A or AC	.060" x .5" x 100'	with rubber outdoor or indoor adh.
ZG30A or AC	.060" x .75" x 100'	with rubber outdoor or indoor adh.
ZG40A-A	.060" x 1" x 100'	with acrylic adhesive
ZG40A or AC	.060" x 1" x 100'	with rubber outdoor or indoor adh.
ZG80A or AC	.060" x 2" x 100'	with rubber outdoor or indoor adh.

Width	Pull Per Foot
1/2"	7 lbs.
3/4"	10.5 lbs.
1"	14 lbs.
2"	28 lbs.



Magnetically Receptive Sheeting



FlexIRON™

Applications:

- Hotels/Restaurants
- Sign-in/Sign-out Boards
- P.O.P. Display Signage
- Offices, Schools, Homes
- Educational Games/Toys

Example: Recondition or upgrade existing Write-on/Wipe-off boards that have surface damage by applying FlexIRON™ over them. If they didn't hold magnets before, they will now.

FlexIRON™ is a magnetically receptive product that complements our line of P.O.P. magnets and magnetic devices. It works with all types of low profile magnets including ceramic and flexible. FlexIRON™ has many advantages over steel.

- Lightweight
- Easily cut with knife, scissors, die or punch.
- Safer to handle with no sharp edges
- Can be rolled-up for storage and portability

Dimensions: FlexIRON™ is .025" thick by 24-3/8" wide and is available in rolls of 10', 25' or 50' lengths.

Custom Sizes: We can provide pre-cut rolls and custom laminations to your specifications.

Available in Four Stock Styles:

1. Gloss white vinyl surface on one side; uncoated on reverse side
Part No.: ZGFSWM
2. Gloss white vinyl surface on one side; rubber-based indoor adhesive on reverse side
Part No.: ZGFSWMAC
3. White Write-on/Wipe-off surface on one side; uncoated on reverse side
Part No.: ZGFSOPV
4. White Write-on/Wipe-off surface on one side, rubber-based indoor adhesive on reverse side
Part No.: ZGFSOPVAC



Inkjet Printable Magnetic Sheet



A quick, low-cost solution for your display and signage needs!

Inkjet printable magnetic sheeting can easily be used with most inkjet printers and plotters to produce magnetic graphics for P.O.P. displays, posters, display boards and much more. Printed material lays flat and can be attached to most metal surfaces, or use it with *FlexIRON™* magnetically receptive material.

The high quality, matte finish paper is backed with a powerful flexible magnetic material. Available in cartons of one hundred 8-1/2" x 11" sheets or individual rolls 24" wide. It is easily cut with scissors or knife.

Compatible with these inkjet printers:

Cannon: BJC4100, 42001, 45501 with regular color cartridge, 4200, 4550, BJC 610

Epson: Stylus PRO, PRO XL, 500, 1500, 600, 800

Lexmark: 2070


HP DeskJet: 7500, 755CM, 800 Series, 1600, 660, 680, 682, 690, 692, 693, 694c

HP PhotoSmart

Xerox DocuPrint: XJ6C, XJ8C, C15

For more information please call:

1.888.293.3534



Latch & Channel Magnets



Applications: Holding fixtures, door latches, hanging signs, and more.

Heavyweight Magnetic Sign Holder: A powerful zinc-plated assembly for hanging large heavy signs, holding fixtures in place or together. It has a 25-pound pull strength.
Part No. CBA360

Part No.	Diagram
CA41L	
CA403	

Latch Magnet Assembly: A strong ceramic magnet is fitted between two zinc plated steel pole pieces to form a powerful latch magnet assembly. It has a twelve-pound pull strength.

Part No. CA41L

Latch Magnet Channel Assembly: A strong ceramic magnet is fixed into a zinc plated steel channel to form a powerful and versatile latch magnet assembly. It features a center hole for mounting. Used mainly as a door latch, it's also an excellent device for holding nameplates, fixtures, or other ferrous metal objects. It has a seven-pound pull strength.

Part No. CA403

Custom Latch Magnets

We can custom fabricate latch magnets to your specifications.

Latch magnets customized to your specifications.

Give us as much information as you can on what you need. Include the "X", "Y" and "Z" sizes and magnetic strength.

Custom Latch Magnets: For applications that go beyond our stock products listed above, we can create a custom built magnet to your specifications. To facilitate the process, fax a drawing with all critical dimensions: application height, width, thickness, desired magnet strength, location and diameter of any holes and any other important features. For technical assistance call **888.293.3534**.



P.O.P. Magnetic Devices

Twelve colors to choose from

A. Super Hold Everything Magnets: These colorful, versatile, permanent magnets are great for signage and displays. Twelve brilliant colors to choose from: Red, Orange, Yellow, Green, Dark Blue, Light Blue, Medium Blue, Pink, Purple, Silver, White, and Black.
Part No. CB60PC-(Color)

B. Magnetic Handy Clips: Nickel-plated clips are ideal for lightweight indoor signage. Holds up to three pounds.
Part No. MHMC030

C. Amazing Double-sided Magnetic Sign Holder for Glass Panels or Windows: Works through single-pane glass! Use this unique product to hang signs, banners, display objects, and more. This powerful magnetic assembly comes complete with an attached hook that can lift up to 20 pounds. It also includes bonus extra hardware that allows double sided use or separates into two magnets for use on metal surfaces.
Part No. 07254B

D. Magnetic Handi Hook: Nickel-plated magnet with hook is great for hanging banners, ceiling signs, and more! Lifts up to 20 pounds.
Part No. MHHH20

E. White Magnetic Hooks: come in two strengths: nine and fourteen pounds. Coated with white enamel paint, these hooks blend in well with most retail environments.
Part No. MHHH9, 9 lbs. pull
Part No. MHHH14, 14 lbs. pull

F. Handy Mag - Lightweight Sign Holder: A powerful clip holds lightweight signs, graphics, banners and posters on any steel surface. Small and unobtrusive, this versatile assembly can be used for multiple applications.
Part No. 07221B

For a wider range
of selections
please call:
1.888.293.3534

A.



B.



C.



D.



F.




E.

THE MAGNET SOURCE

Sign Holding Magnets


Sign Stands

Many fixtures are made out of steel. With our magnetic bases you are able to attach signs in a number of different locations on those steel fixtures. Your sign will determine the size and magnetic strength needed for the application.



Magnetic Bases: Because of their low cost, high holding power, and compact design, these magnetic bases are very versatile. They are constructed using powerful ring magnets encased in plated steel cups, with an attachment hole in the center. Position, hold or hang signs, fixtures or decorations.

Attach an eyehook or regular hook to hang anything from lightweight objects, approximately two to four pounds, or heavyweight objects, up to 200 pounds* on a flat steel surface. You can even add a small knob to make a powerful holder for posters.



Key: OD=Overall diameter, MID=Magnet's inside diameter, T=Thickness, CH=Center hole size.



HARDWARE
NOT INCLUDED

Part No.	Dimensions/Inches				Pounds Pull	Weight (lbs.)	Standard Plating
	OD	T	CH	MID			
RB20	1.21	0.171	0.125	0.187	4	0.03	Nickel
RB44	1.73	0.305	10-24 th	0.885	12	0.09	Nickel
RB45	1.42	0.265	0.187	0.375	16	0.07	Nickel
RB50	2.04	0.290	0.200	0.865	25	0.14	Nickel
RB70	2.65	0.360	0.250	1.000	65	0.33	Nickel
RB80	3.19	0.440	0.280	1.200	95	0.48	Nickel
RB80Post	3.2 OD. x .435 THK.			Assembled with 3/8" Post			
RB100	4.90	0.500	0.500	1.750	200	1.44	Chrome

***Note:** All magnets are tested using a 1/4" ground steel plate. The entire magnetic surface is used during testing. If the item you wish to lift is thinner than 1/4", is not ground flat or does not cover the entire magnetic surface, actual holding capacity could be less. Painted surfaces also tend to reduce tested strengths.

